



APP CRS	Rwy Ldg 10000
183°	TDZE 742
	Apt Elev 748

RNAV (RNP) Z RWY 18C
CHARLOTTE/DOUGLAS INTL (CLT)

RNP AR APCH.			MALSR	MISSED APPROACH: Climb to 3000 direct DENNE and hold.	
Simultaneous approach authorized. For uncompensated Baro-VNAV systems, procedure NA below -11°C or above 54°C.					
D-ATIS 121.15	CHARLOTTE APP CON		CHARLOTTE TOWER		GND CON
	128.325 (001°-119°)	257.2 (180°-359°)	118.1	257.8 (Rwys 18L-36R)	121.8 348.6 (W)
	120.05 (120°-295°)	307.8 (360°-179°)	126.4	257.8 (Rwy 18C-36C)	121.9 348.6 (E)
	134.75 (296°-360°)		133.35	257.8 (Rwy 18R-36L)	



VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 69).						3000	DENNE
						↑	✦
JEDKO	LERDY	FERSA	TOMME	HAGUL	OZEJI	CYLOW	RW18C
8000	7000	6000	5000	4000	3000	2400	
GP 3.00° TCH 55							
CATEGORY	A		B		C		D
RNP 0.11 DA	1067/26		325 (400-½)				
RNP 0.30 DA	1177/40		435 (500-¾)				
AUTHORIZATION REQUIRED							



SE-2, 30 OCT 2025 to 27 NOV 2025

SE-2, 30 OCT 2025 to 27 NOV 2025