

WAAS CH <b>53605</b> <b>W24A</b>	APP CRS <b>239°</b>	Rwy Idg <b>10801</b> TDZE <b>641</b> Apt Elev <b>650</b>
--	------------------------	--

# RNAV (GPS) Y RWY 24


BIRMINGHAM-SHUTTLESWORTH INTL (BHM)

**▼** For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -8°C (18°F) or above 54°C (130°F). Rwy 24 helicopter visibility reduction below RVR 4000 NA. DME/DME RNP-0.3 NA. For inop ALS, increase LPV Cat E visibility to RVR 4000, LNAV/VNAV all Cats visibility to 1½ SM and LNAV Cat A/B visibility to RVR 5500, and Cat C/D/E to 1¼ SM. \*\* RVR 1800 authorized with use of FD or AP or HUD to DA.




MISSED APPROACH: Climb to 1300 then climbing right turn to 3000 direct CAPUN and hold.

ATIS <b>119.4 270.1</b>	BIRMINGHAM APP CON <b>123.8 256.8</b>	BIRMINGHAM TOWER <b>119.9 317.725</b>	GND CON <b>121.7 348.6</b>	CLNC DEL <b>125.675 305.2</b>
----------------------------	--	--	-------------------------------	----------------------------------



ELEV 650	<b>D</b>	TDZE 641
----------	----------	----------



REIL Rwy 18 and 36 TDZ/CL Rwy 6 HIRL Rwy 6-24 MIRL Rwy 18-36	<table border="1"> <tr> <th>CATEGORY</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> </tr> <tr> <td>LPV DA**</td> <td colspan="2">841/24</td> <td colspan="3">200 (200-½)</td> </tr> <tr> <td>LNAV/VNAV DA</td> <td colspan="2">1200-1½</td> <td colspan="3">559 (600-1½)</td> </tr> <tr> <td>LNAV MDA</td> <td>1260/40</td> <td>619 (700-¾)</td> <td colspan="2">1260-1⅜</td> <td>619 (700-1⅜)</td> </tr> </table>	CATEGORY	A	B	C	D	E	LPV DA**	841/24		200 (200-½)			LNAV/VNAV DA	1200-1½		559 (600-1½)			LNAV MDA	1260/40	619 (700-¾)	1260-1⅜		619 (700-1⅜)
CATEGORY	A	B	C	D	E																				
LPV DA**	841/24		200 (200-½)																						
LNAV/VNAV DA	1200-1½		559 (600-1½)																						
LNAV MDA	1260/40	619 (700-¾)	1260-1⅜		619 (700-1⅜)																				

SE-4, 19 MAR 2026 to 16 APR 2026

SE-4, 19 MAR 2026 to 16 APR 2026