


APP CRS	Rwy Ldg	6857
130°	TDZE	451
	Apt Elev	477

RNAV (RNP) Z RWY 13R
PALM SPRINGS INTL (PSP)

RNP AR APCH-GPS, RF, min RNP 0.50. Authorization required.	MISSED APPROACH: Climb to 900 then climbing left turn to 4000 direct TRM VORTAC and hold.
For uncompensated Baro-VNAV systems, procedure NA below 4°C or above 54°C.	

ATIS 124.65	SOCAL APP CON 126.7 370.95 135.275 251.1	PALM SPRINGS TOWER * 119.7 (CTAF) 0 377.05	GND CON 121.9	UNICOM 122.95
----------------	--	---	------------------	------------------



ELEV 477

D

TDZE 451

130°

50 0.2% DOWN

0

TEI

4653 X 7.5

1000 X 130

TWR

31L

0.2% UP R

0.7% UP D

HIRL Rwy 13R-31L

MIRL Rwy 13L-31R

REIL Rwy 13R and 31L

REIL Rwy 13L and 31R

SCOTR

GERTL

LATZY

HUGSO

RW13R

TRM

5000

273°

2800

2300

1711

130°

GP 3.00°

TCH 50

6.8 NM

3.1 NM

1.9 NM

3.8 NM

CATEGORY	A	B	C	D
RNP 0.10 DA	749-7/8 298 (300-7/8)			
RNP 0.30 DA	882-1 1/4 431 (500-1 1/4)			

AUTHORIZATION REQUIRED

SW-3, 09 JUL 2026 to 06 AUG 2026

SW-3, 09 JUL 2026 to 06 AUG 2026