

APP CRS
078°

Rwyt Ldg **10200**
TDZE **936**
Apt Elev **944**


RNAV (RNP) Z RWY 8R
ONTARIO INTL (ONT)

RNP AR APCH - GPS. Authorization required. From JALOT: Min RNP 0.80.
From GRHRT: Min RNP 0.50. From NIPKE or ICILO: RF, Min RNP 0.30.
From COLTN: RF. From YETTS: RF, Min RNP 0.80.


For uncompensated Baro-VNAV systems, procedure NA below 2°C or above 54°C.

MISSED APPROACH: Climb to 5300 on track 078° to HOYQU and on track 165° to DLIUS and hold, continue climb-in-hold to 5300.

D-ATIS 124.25	SOCAL APP CON 127.0 318.2	ONTARIO TOWER 120.6 360.775	GND CON 121.9 257.8
-------------------------	-------------------------------------	---------------------------------------	-------------------------------



ELEV 944	D	TDZE 936
-----------------	----------	-----------------



VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 65).

5300 HOYQU tr 078°

5300 DLIUS tr 165°

See planview for multiple IF locations.

2000

GP 3.00° TCH 60

3.2 NM

RW08R

CATEGORY	A	B	C	D
RNP 0.30 DA	1388-1½ 452 (500-1½)			

AUTHORIZATION REQUIRED