LOC I-DQG	APP CRS	Rwy Ldg 10000
111.7	003°	TDZE 707
		Apt Elev 748

ILS RWY 1R (CAT II & III)
CHARLOTTE/DOUGLAS INTL (CLT)


RADAR required for procedure entry. DME or RADAR required.

Simultaneous approach authorized.
Localizer not suitable for electronic rollout guidance.


ALSF-2

MISSED APPROACH: Climb to 3000 on heading 003° and on BZM VOR/DME R-162 to CTRPO/BZM 27 DME/RADAR and hold.


D-ATIS	CHARLOTTE APP CON		CHARLOTTE TOWER		GND CON	
121.15	128.325 (001°-119°)	257.2 (180°-359°)	118.1	257.8 (18-36)	121.8	348.6 (W)
	120.05 (120°-295°)	307.8 (360°-179°)	126.4	257.8 (1R-19L)	121.9	348.6 (E)
	134.75 (296°-360°)		133.35	257.8 (1L-19R)		



ELEV 748 | D | TDZE 707



HIRL all Rwys
REIL Rwy 18
TDZL/RCLS Rwys 1L, 1R, 19R, and 36



CATEGORY	A	B	C	D
S-ILS 1R	CAT II RA 126/12 100 DA 807			
S-ILS 1R	CAT III RVR 07			

CATEGORY II & III ILS - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED

SE-2, 29 OCT 2026 to 26 NOV 2026
SE-2, 29 OCT 2026 to 26 NOV 2026