RNAV 1- DME/DME/IRU or GPS.
RADAR required.

LAS VEGAS APP CON
125.025 379.15
D-ATIS
132.4
LAS VEGAS TOWER
118.75 257.8 (Rwys 1L/19R, 1R/19L)
119.9 257.8 (Rwys 8L/26R, 8R/26L)

12 NM
310°
130°
SHUFL

12 NM
253°
073°
TTMSN

TQILA
FL240
*9900
134°
(11)
BASIC
FL240
*9900
134°
(17)
FLCHR
FL240
FL210
*9900
134°
(33)
GIINN
115°
FL210
*9900
(15)
TBRAN
FL210
*9900
120°
(18)
ARYEL
FL210 280K
11 NM
300°
16000
*9900
120°
(18)
10 NM
300°
COKTL
FL190 250K
16000

NOTE: Jet aircraft only.
NOTE: GIINN Transition, ATC assigned only.

(CONTINUED ON FOLLOWING PAGE)

FLCHR TRANSITION (FLCHR.COKTL4)
GIINN TRANSITION (GIINN.COKTL4)
TQILA TRANSITION (TQILA.COKTL4)

NOTE: Chart not to scale.

See following page for Arrival Routes

SW-4, 29 OCT 2026 to 26 NOV 2026

SW-4, 29 OCT 2026 to 26 NOV 2026

COKTL FOUR ARRIVAL (RNAV) Arrival Routes

(COKTL.COKTL4) 31OCT24

LAS VEGAS, NEVADA
HARRY REID INTL (LAS)

RNAV 1- DME/DME/IRU or GPS.
RADAR required.

LAS VEGAS APP CON
125.025 379.15
D-ATIS
132.4
LAS VEGAS TOWER
118.75 257.8 (Rwys 1L/19R, 1R/19L)
119.9 257.8 (Rwys 8L/26R, 8R/26L)

COKTL
FL190 250K
16000

120°
10 NM
300°

117°
(11)

ZLLDA
14000

100°
(17)

151°
(13)

DEEON
12000

100°
(4)

ENNVY
11000

082°
(12)

LAS VEGAS
LAS

REDQN
9000 210K

083°
(5)

BERBN
8000 210K

083°

BOULDER CITY
BLD

Ldg Rwys 19L/R, 26L/R

N

MEZKL
12000
10000

151°
(6)

LOOMI

118°
(7)

ZINPI
9000 210K

081°
(5)

SLOTS
8000

006°
(8)

005°

YAGGR
8000 210K

Ldg Rwys 8L/R

030°
(5)

ROAMN
8000 210K

Ldg Rwys 1L/R

NOTE: Jet aircraft only.
NOTE: GIINN Transition, ATC assigned only.
NOTE: Chart not to scale.

(CONTINUED ON FOLLOWING PAGE)

(COKTL.COKTL4) 24305
COKTL FOUR ARRIVAL (RNAV) Arrival Routes
AL-662 (FAA)
HARRY REID INTL (LAS)
LAS VEGAS, NEVADA

SW-4, 29 OCT 2026 to 26 NOV 2026

ARRIVAL ROUTE DESCRIPTION

From COKTL on track 117° to cross ZLLDA at or above 14000.

LANDING RUNWAYS 1L/R: From ZLLDA on track 151° to cross MEZKL between 10000 and 12000, then on track 151° to LOOMI, then on track 118° to cross ZINPI at or above 9000 and at 210K, then on track 081° to cross SLOTS at 8000, then on track 030° to cross ROAMN at 8000 and at 210K. Expect ILS or LOC RWY 1L approach or RADAR vectors to final approach course.

LANDING RUNWAYS 8L/R: From ZLLDA on track 151° to cross MEZKL between 10000 and 12000, then on track 151° to LOOMI, then on track 118° to cross ZINPI at or above 9000 and at 210K, then on track 081° to cross SLOTS at 8000, then on track 006° to cross YAGGR at 8000 and at 210K, then on track 005°. Expect RADAR vectors to final approach course.

LANDING RUNWAYS 19L/R, 26L/R: From ZLLDA on track 100° to cross DEEON at or above 12000, then on track 100° to cross ENNVY at or above 11000, then on track 082° to cross REDQN at or above 9000 and at 210K, then on track 083° to cross BERBN at 8000 and at 210K, then on track 083°. Expect RADAR vectors to final approach course.

LOST COMMUNICATIONS

LANDING RUNWAY 1L: At ROAMN proceed on the ILS or LOC RWY 1L approach.

LANDING RUNWAY 8R: At YAGGR proceed on the RNAV (RNP) RWY 8R approach, if unable, proceed via last track to intercept the final approach course; if unable, maintain 7000 direct LAS VORTAC then direct BLD VORTAC and then on the ILS or LOC RWY 26L approach.

LANDING RUNWAY 26L: At BERBN proceed on the ILS or LOC RWY 26L approach.

LANDING RUNWAY 26R: At BERBN proceed on the ILS or LOC RWY 26R approach.